









RoHS  
HF



3D VIEW

NOTE:  
 1. MATERIAL:  
 1.1 INSULATOR: PA9T BLACK  
 1.2 CONTACT: C5191 T=0.20mm  
 1.3 SHELL:SUS 304  
 2. ELECTRICAL CHARACTERISTICS;  
 2.1 CONTACT RESISTANCE:30m Ω MAX  
 2.2 CONTACT CURRENT RATING:1.8A  
 2.3 DIELECTRIC WITHSTANDING VOLTAGE:100 V R.M.S.  
 2.4 INSULATION RESISTANCE 100 M Ω MIN  
 2.5 OPERATING TEMPERATURE:-40° C ~ 85° C  
 3 MECHANICAL CHARACTERISTICS:  
 3.1 MATING FORCE:30 N MAX.  
 3.2 REMOVAL FORCE: 10N ~20N; 8N Min AFTER TES  
 3.3 DURABILITY:MANDATORY:5,000 CYCLES  
 3.4. SALT SPRAY 48HR PASS.  
 4. PLATING  
 4.1 TERMINAL:  
 50u" MIN NICKEL ALL OVER  
 100u"MIN Tin ON SOLDER AREA  
 (1~30)u"Au ON CONTACT AREA  
 4.2 SHELL:50u"MIN. NICEL ALL OVER  
 5. PART NO.  
 6. Δ MARK IS CPK DIM .






N3A-F E204 D R 9 A 3-A0 01  
 1 2 3 4 5 6 7 8 9 10  
 1.N3A:USB 3.0 A TYPE  
 2.F:FEMALE  
 3.E204=反向中心高-2.04mm  
 4.D:DIP  
 5.R:90°  
 6.9:9T  
 7.COLOR A:黑色  
 8.外壳脚 3:直脚  
 9.TYPE码: A0:普通规格  
 10.Contact Area plating on contacts

Pin NUMBER	SIGNAL NAME
1	VBUS
2	D-
3	D+
4	GND
5	StdA_SSRX-
6	StdA_SSRX+
7	GND_DRAIN
8	StdA_SSTX-
9	StdA_SSTX+
Shell	Shield

REV.	REVISION RECORD	DATE	GENERAL TOLERANCES		SCALE	NAME	DATE	PART NO.	DWG NO.
A0	新图面发行	24.05.14	LINEAR	ANGLES	1:1	Frey Yang	24.05.14	N3A-FE204DR9A3-A001	ENDE05
				0.0±0.30	X° REF±6°				
			UNIT: MM	X° ±3°		DESIGNER	24.05.14	TITLE	
			SIZE: A4	X° X' ±2°		DRAWN	24.05.14	USB3.0 AF RVS CH=-2.04 H2.77 L17.00 DIP	

**JCTC**®

RoHS  
HF



NOTE:

- MATERIAL:  
BOX: FIBRE BOARD, CORRUGATED, DOUBLE WALL (K=K).  
TAPE: POLYSTYRENES, HEAT-RESISTANT TEMPERATURE: 120°C, TRANSPARENT COLOR. (透明色/冷封)  
REEL: POLYSTYRENES, HEAT-RESISTANT TEMPERATURE: 70°C, BLUE COLOR.  
BAG: POLYETHYLENE, HEAT-RESISTANT TEMPERATURE: 100°C.
- PEELING STRENGTH: 0.1~1.3N (10~130gf)
- PEELING SPEED: 300 mm/min.
- EACH BAG SHALL BE INCLUDED DESICCANT.

400	11	4400 PCS	-- KG	--KG
PCS/ REEL	REELS/ CARTON	QUANTITY	GROSS WEIGHT	NET WEIGHT

REV.	REVISION RECORD	DATE	UNIT: MM	GENERAL TOLERANCES		SCALE	NAME	DATE	PART NO.	DWG NO.				
AO	新图面发行	24.05.14		LINEAR	ANGLES	1:1								
				0.0±0.30	X° REF±6°	APPROVED	Frey Yang	24.05.14	N3A-FE204DR9A3-A001	ENDE05				
				0.00±0.25	X° ±3°	DESIGNER	Daniel Dong	24.05.14	TITLE					
			SIZE: A4	0.000±0.10	X° X' ±2°	DRAWN	Micky Ma	24.05.14	USB3.0 AF RVS CH--2.04 H2.77 L17.00 DIP		REV	AO	SHEET	1/2