



Circuit	Dimensions	
	A	B
2P	--	7.92
3P	7.92	11.88
4P	11.88	15.84
5P	15.84	19.80
6P	19.80	23.76
7P	23.76	27.72
8P	27.72	31.68
9P	31.68	35.64
10P	35.64	39.60
11P	39.60	43.56
12P	43.56	47.52
13P	47.52	51.48
14P	51.48	55.44
15P	55.44	59.40

Specifications:
 Rated Voltage : 250V AC/DC
 Rated Current : 10A AC/DC
 Withstand Voltage : 1500V AC/minute
 Contact Resistance : 10mΩ(MAX)
 Insulation Resistance : 1000MΩ(MIN)
 Temperature Range : -25°C~+85°C
 Contact: Brass
 Material: Nylon 66,UL94V-0 Halogen Free
 The product using material and processing must conform to the "WI-PZ-142"HSF technical standard control requirements



Part No.	Material	Color
13962W00-NP-HF	Nylon66,UL94V-0 Brass/Tin plated	银色
13962W00-NPA-HF	Nylon66,UL94V-0 Brass/Tin plated	黑色
13962W00-NPC-HF	Nylon66,UL94V-0 Brass/Tin plated	红色
13962W00-NPE-HF	Nylon66,UL94V-0 Brass/Tin plated	黄色
13962W00-NPF-HF	Nylon66,UL94V-0 Brass/Tin plated	绿色
13962W00-NPG-HF	Nylon66,UL94V-0 Brass/Tin plated	蓝色
13962W00-NPC-HF-01	Nylon66,UL94V-0 Brass/Tin plated	红色
13962W00-NPE-HF-01	Nylon66,UL94V-0 Brass/Tin plated	黄色
13962W00-NPF-HF-01	Nylon66,UL94V-0 Brass/Tin plated	绿色
13962W00-5B-NP-HF	Nylon66,UL94V-0 Brass/Gold plating 2U"	银色

REV.	REVISION RECORD	DATE	GENERAL TOLERANCES	SCALE:	NAME	DATE	PART. NO:	DWG. NO:	 TERMINAL&CONNECTORS
C3	更新公司名称	17.06.23	LINEAR 0.0±0.25 ANGLES X° REF±6°	1:1	Nelson	23.04.14	13962W00-NP-HF	ENDE05	
C4	换图框发行	21.01.28		DESIGNER					
C5	依据YB20230106008新增颜色规格	23.02.14	UNIT: MM 0.00±0.15 X° ±3°	DRAWN	Hui	23.04.14	TITLE:	3.96mm Pitch Dip Type 180° Wafer	
C6	依PBJOA202201060007新增规格	23.04.14	SIZE: A4 0.000±0.08 X° X'±2°						
								REV: C6	SHEET: 1/1